
DOG LIC.
EXP. 6-30-04
30014
TULARE
COUNTY
G5 120
CONNECTICUT
STATE
POLICE
9101
NB & T
NATIONAL
BAND AND TAG CO.
Manufacturers
721 York Street, P O Box 72430, Newport, KY 41072-0430 USA
Internet: www.nationalband.com E-Mail: tags@nationalband.com
Phone: (859) 261-2035 or (859) 581-TAGS(8247) Fax: (800) 261-TAGS(8247)
MAN
602
DORMONT 9884
NOT TRANS.
RABIES VACC.
CORONADO
ANIMAL HOSPITAL
KANSAS CITY, KS.
287-6777
2501
CITY OF SUFFOLK, VA.
4002
1999 DOG LICENSE
10401
20 00
RABIES VACC.
NATIONAL
BAND & TAG
721 YORK ST
NEWPORT KY
606-261-2035
1234
20 01
RABIES VACC
NATIONAL
BAND & TAG
721 YORK ST
NEWPORT KY
606-261-2035
1234
E.T.
NURSERY
C30
REWARD
CALL COLLECT
301-948-2010
BOIZELLE INSURANCE
ASSOCIATES
8000
NO. VA.
RAD.
6001
20 02
RABIES VACC
NATIONAL
BAND & TAG
721 YORK ST
NEWPORT KY
606-261-2035
1234
2003
RABIES VACC
NATIONAL
BAND & TAG
721 YORK ST
NEWPORT KY
606-261-2035
1234
A Family Operated Business Since 1902
La Boit
PITTSBURGH

The Founder

Joseph Haas
1878-1967

& Sons

Fred E. Haas, Sr.
1901-1971

Elmer J. Haas, Sr.
1903-1969

The Retirees

Donald J. Haas
Retired 1995

Fred E. Haas, Jr.
Retired 2004

National Band & Tag Company Mission Statement

National Band & Tag Company's mission is to provide to our customers the best source for identification tags, to produce a top quality product at the lowest possible cost with the best service. We will expand our sales base by continuing to concentrate on our existing markets, as well as developing new markets that are compatible with our current manufacturing capabilities and by pursuing new technology related to the identification field. This will build a strong, profitable business to perpetuate the company for the benefit of the family, future generations of the family, and our dedicated employees.

The Family Today

Joseph D. Haas
President (Seated 3rd)

Eric A. Haas
Vice-President, Advertising (Seated 1st)

Faye Haas Wendel
Secretary/Treasurer, Personnel (Seated 4th)

Kevin A. Haas
Vice-President, Laser, R&D (Standing 3rd)

Fred E. Haas,III (Trey)
Operations (Standing 2nd)

Joe D. Haas, Jr
Production/Office (Standing 4th)

Brad C. Haas
Production (Standing1st)

Sean C. Haas
Production (Standing 5th)

Christine Haas Schwalbach
Office (Seated 2nd)

Our Dedicated Employees

Our Facility

Catalog Number 992

Industrial Tags

- Adjustable Tags
- Disconnect Seals
- Electrical Markers
- Locking Seals
- Motor Leads
- Pipe Leads
- Plate Tags
- Slot Tags
- Survey Markers/Tags
- Terminal Tags
- Tongue & Slot Tags
- Tree Tags
- Truck Seals
- Valve Tags
- Variable Size Tags
- Wire Grouping Tags
- Wire Harness Banding
- Wire Markers
- Wrap Around Tags
- Write-On Tags

Dog & Cat Tags

- Advertising Specialty
- Bicycle License Tags
- Cage Tags
- Cat License Tags
- Cat Rabies Tags
- Dog License Tags
- Dog Rabies Tags
- Horse Saddle Tags
- Inventory Tags
- Key Chain Tags
- Locker Tags
- Pipe Tags
- Plumbing Tags
- Pool Passes
- Rabies Vaccination Tags
- Survey Marking Tags
- Swimming Pool Tags
- Tool Check Tags
- Tree Tags
- Valve Tags
- Vehicle License Tags

Livestock Tags

- Cattle Tags
- Ear Tags
- Hog Tags
- Hog Rings
- Locking Seal Tags
- Plastic Bangles
- Plastic Ear Tags
- Self Piercing Ear Tags
- Sheep Tags
- Swine Tags

Poultry

- Aluminum Bands
- Anti-Pix Devices
- Bird Bits
- Bird Blinders
- Bit-Fitter
- Beak Guards
- C-Less Blinders
- Cannibalism Control
- Leg Bands
- Plastic Wing Bands
- Poultry Bands
- Poultry Wing Bands
- Poultry Peepers
- Self-Piercing Bands
- Swivel-Lok Blinders
- Toe Punch
- Wing Badges
- Wing Bands
- Wing Tags

Conservation Tags

- Bird Bands
- Book Binding
- Cable Markers
- Cage Tags
- Crab Trap Tags
- Ear Punch
- Ear Tags
- Electrical Markers
- Emu Bands
- Fish Tags
- Gill Net Tags
- Ostrich Bands
- Pelt Tags
- Rhea Bands
- Self Piercing Tags
- Sign Hanging Spirals
- Small Animal Ear Tags
- Small Animal Leg Bands
- Spiral Bands
- Truck Seals
- Turkey Tags
- Turtle Tags

Plant Labels

- Garden Markers
- Garden Stakes
- Plant Labels
- Wired Tags
- Write-on Tags

Laser-Etched BAR CODES

Laser-Etched Bar Codes and Custom Laser Marking are available on many of our tags. Laser Marking produces permanent marks on a wide range of materials and surfaces. A computer controls the precision and consistency, thereby providing the flexibility to produce bar codes, sequential numbering, graphics, etc. Contact us for further information and samples. Our Tech Question E-Mail Address: info@nationalband.com

**PHOTOS ON THIS PAGE ARE REDUCED.
ALL OTHER PHOTOS THROUGHOUT CATALOG ARE ACTUAL SIZE,
UNLESS OTHERWISE NOTED.**

50
90
145
85
SURVEYING
91
TOOT
137
WOODLAND HILLS GUEST PASS
115
139
PUPPY LOVE
340
WRIGHTSVILLE BEACH, NC
240
198
RABIES VACC.
298
SKINNY JEANS
398
498
47
147
RABIES VACC.
247
DOG LICENSE
257
COOS COUNTY OREGON
157
134
124
325
99401
227
228
132
232
ROSELLE PARK DISTRICT
53
GIRLS
168
253
71
99
153
76
VACCINATED
3102
165
150
128
121
PET TAG
221
2810
MICRO CHIP IMPLANT
321
61
273
373
1201
1999
NEWBURY
173
TRENT MONTESSORI PARKING
146
P.V.S.C.
246
KING & QUEEN CO. VA
DOG LICENSE
60

INK ENGINEERING
PCP
REF
81
KEYS REGISTERED WITH LOST - SEARCHED - FOUND
FINDER
PLEASE CALL NOW
OHIO 1-800-282-0746
EXT 48
OUTSIDE OHIO CALL
92
REWARD
DO NOT REMOVE
10001
CODE OF FEDERAL
REGULATIONS
40 CFR 61
116
TO OPEN DAMPER
PULL CHAIN DOWN
93*
101
2091
111111
72
102
VACUNA RABIA
103
NEWPORT
135
1002
156
1999
STABLE TAG
148
88
92-93
ANIMAL TAG
87
PERS. DOG TAG
23008
167
1996
FRANKFORT
142
84001
C.R.C.
40002
172
LIFECHIP
1F32521B42
164
66
STEVE'S
RADIATOR
SERVICE
163
69
LUCKY
LOTTO
SCRAPER
1996
110
151
PRINCE WILLIAM
73
DOG LICENSE
EXP. 12-31-97
COAST
GUARD
65
RAMON
152
192
1998
DEARBORN
189
POODS
502
1000
504
503
1999
BATH
501
51
13101
57
SANTA BARBARA
COUNTY
DOG LIC.
190
74
1999
YAVAPAI
COUNTY
193
100 YEARS
NORTH OGDEN
1501
197
TEXAS
STATE
1998
RABIES
3 YEAR
MARSHALL CO.
STATE OF IL
52
1999
MICHIGAN
195
1996
194
COLUMBIANA
COUNTY
1998 RABIES VACC.
CHAS PET HOSP.
196
2001


7365
Flexible, Polyurethane tag with Laser Etched Characters
EXTREME DUTY
NBT123
Polyurethane for Demanding Applications
Laser Etched
1003204
IF YOU FIND ME
70
KY. KENNEL TAG
15001
270
92 93
186
ASBESTOS FREE
187
KERN RIVER PARKWAY
120
M.T.C.C.
220
900
C.L.C.A. GUEST
286
FINSBURY POINTE CONDO GUEST
287
NELSON
126
BRC
169
HOT WATER SHUT-OFF
ATLAS
58
269
GREENBROOK HOMEOWNERS ASSOC.
1306
125
227
92
127
MAJESTIC LIVE OAK
31002
ARBOR RIDGE TREE FARM
200*
199*
ST1-001
Laser Etched
141
7/8 x 2 1/8
COVENANT
141
1 1/4 x 2
SUCCESS
129
BROOKSTONE
219
POOL PASS
242C
141
1/2 x 1 1/2
171
BUFFER
141
1 x 3
119
Cheeky Monkey's Inc.
Innovative Promotional Items
242
171V
Vinyl
Laser Etched
143
CHATT-TOWN
RADIATOR SERVICE
161
CHATTANOOGA, TENN.
CITY
WATER
98
FLOATING SEAT RING.
DO NOT REMOVE PIPING
OR PROCESS LEAK WILL
OCCUR.
141
1 1/4 x 2 1/2
OPERATING
PROCEDURE
VEHICLE
118
PACIFICORP
LONG'S
WINE CELLAR
218
REBUILT BY:
D&D COMPRESSOR
SERVICE
243
JOB #
63
Laser Etched
BIF
EQUIPMENT
141
1 1/2 x 3
141 Meter Tag
1/2 x 3 3/4
11234


VALLEY INDUSTRIAL RUBBER
14 1 1/4 x 2 1/2
46-A-002
188
USDA
19 83
86
GH COMPANY
386
166
IDFG 98-99
SMA 266 NET
717-8-000101
266
DO NOT DISTURB CONDITION OF THIS VALVE
14 1 1/4 x 3
105
19 89
RABIES-LICENSE
233
185
A965
Laser Etched
NB&T 304 SS CUSTOM TAGS
14 1 1/2 x 3
NBT123
CF INDUSTRIES
104
ELEC. DEPT. LOCK BOX
188
DATA MATRIX001
14 1 x 2 1/8
B123
14 1 x 2 1/8
3400 LBS.AXLE CAP.
S/N: 68103
RELIABLE AXLE CO.
KENDALLVILLE,IN 46755
14 1 1/2 x 3 1/2
14 3/4 x 2 1/2
14 3/4 x 3 3/4
15
14 1 x 3
451LV213
LIFT-ALL COMPANY
WIRE ROPE SLING # 1A591
1/4 IN. X 4 FT. 6 X 19 IWRC
CAPACITY IN TONS
T-V .56 T-C .42 T-B 1.1
DO NOT EXCEED
14 1 7/8 x 3
13,200 V
13 G 12
14H 1 1/2 x 3
NETWORK
ENG. DIV. P.V. NO. 13387-1
14 1 7/8 x 4 3/4
SHELL TUBE JACKET HEAD
MAX. PRESS. (P.S.I.) 150 150 150
MAX. TEMP. °F. 200 315 200
Call NB&T @ 606-261-2035
14 1 7/8 x 3
NBT-123
Bar Codes & Custom Layouts Now Available


PROPERTY OF
PRESCOTT
BOTTLING
749
141
5/8 x 2
144
5/8 x 1 1/4
2
144
1/2 x 1 1/2
144
1/2 x 2
1006
P1505
144
1 x 2
144
1 1/4 x 2
1502
144
1/2 x 2 1/2
DIAPHRAGM
11801
144
1/2 x 3
NATIONAL TAG CO.
144
1 1/4 x 2
031893000
Laser Etched
144
1 1/4 x 2 3/4
PO# 2629-01-60001
MOD.
SER.
ARRG.
DATE
144
1 1/2 x 2 1/8
SPECIAL
GROUND
144
1 7/8 x 2 1/8
REEL NO. 8801
144
1 1/4 x 3
TARE WT.
Laser Etched
4523183
144
1 x 3
4523182
JENNINGS NO
1
VEHICLE
TAX
144
1 1/4 x 2
6B1
Laser Etched
144
1 1/2 x 3
MANUFACTURED BY
HERBERT S. HILLER CORP.
METAIRIE, LA
(504)
144
1 1/2 x 3
2333
MODEL NO.
T-123
144
1 1/8 x 3 1/2
DO NOT REMOVE THIS TAG
UNREG-WATER SUPPLY BRANCH
WELL PERMIT NUMBER
89001
INFORMATION-GIVE NUMBER & WRITE
P.O.BOX 140
R.DE 19903
144
1 7/8 x 3 1/4
PROPERTY OF
COPPERWELD MARKETING
& SALES CO.
144
2 1/8 x 3 3/4

Variable Size PLATE TAGS





Style 141 3/4" & 7/8" tag heights use the radius on the 1" tag. The 1-1/8" tag height uses the radius on the 1-1/4" tag. Therefore the radius ends on these 3 heights will not be exactly like the drawing above.



Adhesive backing available on Aluminum tags in 1/2", 3/4",1 1/2" tag heights. Contact us for pricing. Minimum order 1000 tags.

Material Available for Variable Size Tags Above:

Plain Aluminum: .050" - All Tag Heights shown
Brass: .036" (Alloy 260 70/30 , 1/2 hard temper)- All Tag Heights shown
Colored Aluminum: .050" - 1 1/4", 1 1/2", 1 7/8" Tag Heights
Stainless Steel: .031" (Type 430 2BA finish)- 1/2", 3/4", 1", 1 1/4", 1 1/2", 1 7/8" Tag Heights
Stainless Steel: .030" (Type 304, 2B finish)- 1/2", 3/4", 1", 1 1/4", 1 1/2", 1 7/8" Tag Heights
Stainless Steel: .047" (Type 304, 2B finish)- 1 1/4", 1 1/2" Tag Heights

ATTACHMENTS

1502 LINK
.091" diameter plated steel wire

1502ss
Stainless Steel

1504 LINK
.105" diameter plated steel wire

1503 TWISTED LINK
.105" diameter plated wire

1505 LINK
.080" diameter plated wire

1506 RING
11/16" outside diameter

1506ss
Stainless Steel

1514 RING
1" outside diameter

1508 STEEL RIVETS

1508NI Nickel Plated

1508BR Brass Plated

1507 BALL CHAIN
4" Brass Plated

1515 ELASTIC WRIST/ANKLE BAND

Photo Reduced

RING APPLICATOR - STYLE 1506S
This hand tool is a helpful device that spreads the ring apart for attaching the tag to the ring and to the collar.

STANDARD PACKING



100 tags to a wire, 500 to a box.

"STRIP-PAK"

1 tag and 1 attachment to an individual plastic bag. Bags are perforated on a continuous strip.

"FLAT-PAK"

1 tag and 1 ring laminated to sturdy card stock. Used for sending tags through the mail.

MATERIAL:
Aluminum: .050" (16 gauge) - 1/2 hard temper
Aluminum: .064" (14 gauge) - 1/2 hard temper
Brass: .036" (19 gauge)- Alloy 260 70/30 - 1/2 hard temper
Brass: .040 " (18 gauge)- Alloy 260 70/30 - 1/2 hard temper
Stainless Steel: .031" (20 gauge) - Type 430 2BA finish (Shiny, attracted to magnet, slightly corrosive)
Stainless Steel: .030" (20 gauge) - Type 304 2B finish (Dull, not attracted to magnet, non-corrosive)
Stainless Steel: .047" (17 gauge) - Type 304 2B finish (Dull, not attracted to magnet, non-corrosive)
Other material may be available

COLORS:
In Aluminum only: Plain, Red, Blue, Green, Orange, Gold, Purple.

NUMBERING/STAMPING:

Character Size:	Characters per inch horizontal:	Characters per inch vertical:
1/16"	16	10
3/32"	12	8
1/8"	10	6
3/16"	8	5
1/4"	7	3
1/2"	4	1

Size & shape of tag, number & location of holes governs the stamping & numbering area.

HOLE SIZES
1/8" hole top of tag is standard

3/32"
7/64"
1/8"
9/64"
5/32"
11/64"
3/16"
7/32"
1/4"
5/16"
3/8"
1/2"

SLOT SIZES

1/16" x 1/2"
3/32" x 27/64"
1/8" x 1/4"
1/8" x 5/8" tag #266 only
3/16" x 5/16"
3/16" x 13/32"
3/16" x 3/4"
3/16" x 1" for tag #188 only
3/16" x 15/32"

SPECIAL SERVICES:
- Black or White paint filled characters.
- Nickel or Brass plated steel eyelets for reinforcing hole.
- Bar Codes
- Laser etch via your database
- Cleaning •Tumbling • Deburring
- Link attaching.
- Envelope packing.
- Back side stamping.
- Special logos

HAND STAMPS



1571 Numbers 0-9 **1572** Letters A-Z
Hardened steel, gothic style, characters for hand stamping tags.
Contact us for information on Stamping/Numbering Machines.



WRAP AROUND TAGS

Tag Styles 1631, 1632, 1633 and 1634 conform to military prints M43436/1-1,-2,-3,-4.

1631 = M43436/1-1

1632 = M43436/1-2

1633 = M43436/1-3

1634 = M43436/1-4

Tags are made from .012" Aluminum 1100-0.

Style	Width	Length	Overall Length	Diameter Adjustment
1631	⅝"	1⅛"	1⅛"	1/16"-¼"
1632	⅞"	2"	2"	⅛"-7/16"
1633	1"	3"	3"	3/16"-¾"
1634	1"	4"	4½"	3/16"-1¼"

1661

HERE'S HOW IT WRAPS AROUND

Style	Width	Body Lengths
1661	½", 1", 1¼", 1½", 1⅝"	½"-3"

1640

1610

1610-J

Wrap-Around Styles 1640, 1610 and 1610-J can be easily applied with special applicator

Designed to close the tag in a circle to the circumference of the wire it identifies. When ordering applicators, be sure to give us the diameter of the wire and the thickness of the tag material.

Also Available -
1610JC - 1/2" x 1"
Type 304 Stainless Steel Crab Trap Tag

Style 1640 1610 1610-J

To order these tags, you must give us the over-all length of the tag - OR - the outside diameter of the wire/cable, etc.

MATERIAL:

BRASS: .020" thick x 1/4" wide
.036" thick x 1/2" wide
ALUMINUM: .025" thick x 1/4" wide
.032" thick x 1/2" wide
STAINLESS STEEL: .025" thick x 1/4" wide
.035" thick x 3/8" wide
.030" thick x 1/2" wide
TINNED STEEL: .018" thick x 5/16" wide

Other materials and sizes may be special ordered for large quantities. Please contact us for a quotation.

See page 21 for wire grouping, plastic, Spiral Bands.

1640, 1610, 1610J, & 1610JC can be consecutively numbered, but are randomly packed.



SLOT AND TONGUE PATTERNS

Available in one size only

MATERIAL .016" Aluminum
Other materials available some styles

COLORS: Special colors/finishes at request.

NUMBERING/STAMPING:
No consecutive numbers
Straightline stamping of letters and numbers available.

Style	Body		Tongue Length	Overall Length	Diameter Adjustment
	Width	Length			
1614	¼"	7/16"	15/16"	1 3/8"	⅛"-5/16"
1651	½"	⅝"	1½"	2⅛"	¼"-9/16"
1612	½"	1"	1"	2"	5/16"-½"
1615	7/16"	⅝"	2⅝"	3¼"	⅛"-⅞"
1606	1"	¾"	3¼"	4"	11/64"-1"
1656	1½"	⅝"	3 7/8"	4½"	¼"-1"
1616	7/16"	13/16"	3 11/16"	4½"	5/16"-15/16"
1609	½"	5/16"	4 11/32"	4 21/32"	⅛"-15/16"
1608	⅜"	1⅜"	3 3/16"	4 3/16"	7/16"-15/16"
1602	7/8"	1½"	3 1/16"	4 9/16"	½"-1¼"
1624	1⅛"	¾"	5¼"	6"	5/16"-1¾"
1635	1⅛"	1⅞"	4⅛"	6"	½"-1½"
1607	1½"	1"	5"	6"	¼"-1½"

1620

1638

1617

1625

1605

STANDARD SIZE						VARIABLE SIZE Variations in body only		
Style	Body		Tongue Length	Overall Length	Diameter Adjustment	Body		Tongue Length
	Width	Length				Width	Length	
1620	½"	1"	1"	2"	5/16"-½"	3/8"-1/2" 3/4"	5/8"-6¾"	1"
1638	3/8"	1"	1"	2"	5/16"-½"	3/8"	¾"-1"	1"
1617	3/8"	2"	3/8"	2⅜"	41/64"-43/64"	3/8"-1/2" 3/4"	1"-4"	3/8"

STANDARD SIZE						VARIABLE SIZE Variations in body only		
Style	Body		Tongue Length	Overall Length	Diameter Adjustment	Body		Tongue Length
	Width	Length				Width	Length	
1625	½"	1"	1"	2"		3/8"-1/2" 3/4"	5/8"-6"	5/8"-6"
1605	½"	1"	5"	6"		3/8"-1/2" 3/4"	5/8"-6"	5/8"-6"

1628

1629

1604

1622

1601



1655*

DOUBLE SLOT DOUBLE TONGUE PATTERNS

Style	Body		Tongue Length	Overall Length	Diameter Adjustment
	Width	Length			
1628	1⅝"	⅞"	1½"	2⅜"	¼"-⅝"
1629	1¼"	27/32"	15/16"	1 25/32"	21/64"-½"
1604	⅜"	1½"	2⅛"	3⅝"	23/32"-1"
1622	7/16"	⅝"	2⅝"	3¼"	⅛"-⅞"
1601	¾"	3"			
1655*	½"	2⅛"	5⅜"	7½"	5/16"-1¾"

*This is a variable tag.

STRAP TAG 75

USES

- Cotton Bales
- Tobacco Bales
- Industrial Uses:
  - Strap to skids for -
  - Inventory Control
  - Product Identification
  - Material Handling

3" LENGTH
&
5 5/16"
LENGTH

MATERIAL: Steel

COLORS: Plain, Contact us for colors available.

NUMBERING/STAMPING:

- 6 digit consecutive number.
- Special stamping available.

WRITE-ON TAG

STYLE
2702

HUNDREDS OF USES

This versatile write-on tag is made from a .005" aluminum stock wrapped around a stiff cardboard backing. This backing allows easy marking with a pen, pencil, or any pointed object. Tag has attached copper wire. This tag will last for years and years, even under harsh environments, the cardboard is biodegradable, but the aluminum "embossed" with your information remains.

2702W1 **3/4" x 3 1/2"**



2702W2 **1 1/2" x 3 1/2"**



2702W3 **2 1/4" x 3 1/2"**



WOOD POT LABELS & MARKERS

- White Pine
- Available Plain or Treated

STYLE	SIZE
2704	5/8" x 4"
2706	5/8" x 6"
2710	5/8" x 10"
2712	5/8" x 12"
2712ST	1-1/8" x 12"

VINYL PLANT LABELS

- Durable, Long Lasting Virgin Vinyl

MATERIAL: Vinyl.

COLORS: White, Yellow, Orange (Other colors in large quantities).

STYLE	SIZE
2754	5/8" x 4"
2756	5/8" x 6"
2758	5/8" x 8"
2764	3/4" x 4"
2766	3/4" x 6"
2768	3/4" x 8"
2774	1" x 4"
2776	1" x 6"
2778	1" x 8"
2784	1-1/4" x 4"
2786	1-1/4" x 6"
2788	1-1/4" x 8"

2725

USES
- Plants, Trees, etc.
- Industrial Uses:
  - Inventory Control
  - Product Identification
  - Material Handling

Metal can be "engraved" with a ball-point pen, pencil, or any pointed object.

MATERIAL: Aluminum.
COLORS: None.
ATTACHMENTS: None.

2729

USES
- Plants, Trees, etc.
- Industrial Uses:
  - Inventory Control
  - Product Identification
  - Material Handling

Metal can be "engraved" with a ball-point pen, pencil, or any pointed object.

MATERIAL: Aluminum.
COLORS: None.
ATTACHMENTS:
- Available with or without eyelet - please specify.
- Wire available attached or unattached (see 2743).

2720

USES
- Plants, Trees, etc.
- Industrial Uses:
  - Inventory Control
  - Product Identification
  - Material Handling

Metal can be "engraved" with a ball-point pen, pencil, or any pointed object.

MATERIAL: Copper.
COLORS: None.
ATTACHMENTS:
- Available with or without eyelet - please specify.
- Wire available attached or unattached (see 2743).

2739

USES
- Plants, Trees, etc.
- Industrial Uses:
  - Inventory Control
  - Product Identification
  - Material Handling

Long-lasting virgin vinyl

MATERIAL: Plastic.
COLORS: White, Yellow, Orange (Other colors in large quantities).
ATTACHMENTS:
- Available with or without eyelet - please specify.
- Wire available attached or unattached (see 2743).

2721

USES
- Plants, Trees, etc.

Metal can be "engraved" with a ball-point pen, pencil, or any pointed object.

MATERIAL: .005" Copper.
COLORS: None
ATTACHMENTS:
- Wire available unattached only (see 2742).

COPPER WIRE
2742 UNATTACHED
2743 ATTACHED

MATERIAL: 9" long, .020" Copper Wire.

2745

USES
- Plants, Trees, etc.
- Industrial Uses:
  - Inventory Control
  - Product Identification
  - Material Handling

Long-lasting virgin vinyl

MATERIAL: Plastic.
COLORS: White, Yellow, Orange (Other colors in large quantities).
ATTACHMENTS: None.

MARKING PENCIL
2789

- Non-smear marking for vinyls & plastics.

ALL-WEATHER® MARKER
2792

- Permanent mark on vinyls & plastics.

Tamper-Resistant SECURITY SEALS
1704H

USES
- Game Seals, Deer, Alligator
- Lock Seals
- Truck Seals

APPLICATOR: None Required.

TAMPER Resistant Seal

Hot Stamped Characters

Approximately 7 1/2" long x 3/8" wide

MATERIAL: Plastic.
Tensile Strength : 35-45 lbs.

COLORS: Red, Blue, Green, Yellow, Orange, Gray, White, Lt. Blue, .

NUMBERING/STAMPING:
- Up to 7 digit Hot Stamped consecutive number.
- Up to 17 Hot Stamped characters available.

Tamper-Resistant SECURITY SEALS
1704E

USES
- Game Seals, Deer, Alligator
- Lock Seals
- Truck Seals

APPLICATOR: None Required.

TAMPER Resistant Seal

Embossed Characters
Available in Standard Tensile strength or High Tensile strength for extra security

Approximately 7 1/2" long x 3/8" wide

MATERIAL: Plastic.
Standard Tensile Strength : 35-45 lbs.
High Tensile Strength : 68-82 lbs.

COLORS: Red, Blue, Green, Yellow, Orange, Maroon, Gray, Black, Clear.

NUMBERING/STAMPING:
- Up to 7 digit Embossed consecutive number.
- Up to 17 Embossed characters available.

Tamper-Resistant SECURITY SEALS
1705
FLAT HEAD SEAL
1706
GLOBE HEAD SEAL

USES
- Game Seals, Deer, Alligator
- Lock Seals
- Truck Seals

APPLICATOR: None Required.

TAMPER Resistant Seal

Approximately 8 3/4" long x 5/16" wide

MATERIAL: Tinned Steel

COLORS: Plain, Red, Blue, Green, Orange.

NUMBERING/STAMPING:
- 6 digit Embossed consecutive number.
- Up to 15 characters embossed.
- Special Inkjet Bar Coding Available.

LAP SEALS
8905P

USES
- Pelt Tag
- Lock Seal

APPLICATOR: 895s or any flat jaw plier.

TAMPER Resistant Seal

MATERIAL: Aluminum.

COLORS: Plain only

NUMBERING/STAMPING:
- Up to 6 digit stamped consecutive number.
- Special Stamping Available.

LAP SEALS
890-4

USES
- Preformed Pelt Tag
- Wing Band (See page 20)
- Lock Seal
- Game Seal

APPLICATOR: For best results use 890s applicator.

TAMPER Resistant Seal

MATERIAL: Aluminum.
COLORS: Red, Blue, Green, Yellow, Orange, Pink, Brown, Black, White.
Please note - not all colors available at all times. Please indicate a second color choice or contact us for current stock

NUMBERING/STAMPING:
- Up to 6 digit stamped consecutive number.
- Special stamping available.
- Paint filled characters.
- Laser etched Bar Codes.
- Laser etched characters.

LAP SEALS
305P

USES
- Pelt Tag
- Lock Seal
- Game Seal

APPLICATOR: 305s applicator required.

MATERIAL: Aluminum

COLORS: Plain, Red, Blue, Green, Yellow, Orange, Pink, White.
Please note - not all colors available at all times. Please indicate a second color choice or contact us for current stock

NUMBERING/STAMPING:
- Up to 6 digit stamped consecutive number.
- Special stamping available.

LAP SEALS
305M

USES
- Milk Meter Seal
- Lock Seal
- Game Seal

APPLICATOR: 305s applicator required.



MATERIAL: Aluminum

COLORS: Plain, Red, Blue, Green, Yellow, Orange, Pink, White.
Please note - not all colors available at all times. Please indicate a second color choice or contact us for current stock

NUMBERING/STAMPING:
- Up to 6 digit stamped consecutive number.
- Special stamping available.

ATLAS SEAL LEG BANDS
305A
Adjustable Sizes 9, 11, 13
305AL
Adjustable Sizes 13, 14, 16

USES
- Poultry/Small Animal Leg Band
- Lock Seal
- Equipment Identification

APPLICATOR: 305s applicator required.



MATERIAL: Aluminum

COLORS: Plain, Red, Blue, Green, Yellow, Orange, Pink, White.
Please note - not all colors available at all times. Please indicate a second color choice or contact us for current stock

NUMBERING/STAMPING:
- Up to 6 digit embossed consecutive number.
- Special stamping available.

ATLAS SEAL LEG & WING BANDS
8906
Pointed End
8907
Round End

USES
- Poultry Wing Band
- Poultry/Small Animal Leg Band
- Bird Band

APPLICATOR: 890S applicator required.

MATERIAL: Aluminum.
COLORS: Plain, Red, Blue, Green, Yellow, Orange, Pink, Brown, Black, White.
Please note - not all colors available at all times. Please indicate a second color choice or contact us for current stock

NUMBERING/STAMPING:
- Up to 5 digit embossed consecutive number.
- Special stamping available.

NATIONAL ADJUSTABLE

15
Adjustable

15L
Large Adjustable

USES
- Poultry/Small Animal Leg Band

APPLICATOR: None required.



MATERIAL: Aluminum

COLORS: Plain only

NUMBERING/STAMPING:
- Up to 4 digit embossed consecutive number.
- No stamping.

384
Adjustable

384L
Large Adjustable

USES
- Game Bird Band
- Small Animal Leg Band

APPLICATOR: None required, however a needle nose plier is helpful.



MATERIAL: Heavy gauge Aluminum

COLORS: Plain only

NUMBERING/STAMPING:
- Up to 5 digit stamped consecutive number.
- Special stamping available.

5321
Adjustable

USES
- Poultry/Small Animal Leg Band
- Poultry Wing Band

APPLICATOR: None required.



MATERIAL: Aluminum.

COLORS: Plain, Red, Blue, Green, Yellow, Orange, Pink, Brown, Black, White.
Please note - not all colors available at all times. Please indicate a second color choice or contact us for current stock

NUMBERING/STAMPING:
- Up to 5 digit embossed consecutive number.
- Special stamping available.

1614G
Adjustable

USES
- Game Bird Band
- Poultry/Small Animal Leg Band

APPLICATOR: None required.



MATERIAL: Aluminum.

COLORS: Plain only

NUMBERING/STAMPING:
- No consecutive number.
- 2 lines of 5 stamped characters each, or 1 line of 2 embossed characters and 1 line of 4 stamped characters.

DOUBLE-END CLINCH LEG & WING BANDS

3750
Pointed End

3751
Round End

USES
- Poultry Wing Band
- Poultry/Small Animal Leg Band
- Bird Band

APPLICATOR: None required, however a needle nose plier is helpful in application.



MATERIAL: Aluminum.

COLORS: Red, Blue, Green, Yellow, Orange, Pink, Brown, Black, White.
Please note - not all colors available at all times. Please indicate a second color choice or contact us for current stock

NUMBERING/STAMPING:
- Up to 5 digit embossed consecutive number.
- Special stamping available.

SIZE GUIDANCE CHART for Poultry, Small Birds, Game Birds, etc.

WARNING! This Size Chart should be used as a guide only!
Please refer to the catalog pages where styles and their diameters are shown actual size.

We cannot be responsible for incorrect sizes being ordered based on this chart.
You know your use, please refer to the diameters to choose the proper band. If you are not sure, we will gladly send samples.

Inside Diameter of Band	Breed of Poultry, Small Birds, Game Birds, etc.
3/32"	Sparrows, Swallows, House Wrens, Warblers, Goldfinch
1/8"	Canaries, Chickadees, Evening Grosbeak, Titmouse, Quail - 1 day to 2 wks.
5/32"	Canaries (Yorkshire & larger breeds), Parakeets, Love Birds, Budgerigar, Quail 2 to 4 wks.
3/16"	Doves, Cockatiels, Pheasant, Pheasant Poults 1 day to 5 wks. California Valley Quail, Mexican Quail, adults.
7/32"	Quail - 4 wks to adult average birds, Mississippi Quail, Massachusetts Quail, Bobwhite Quail.
1/4"	Baby Chicks, Small pigeons (Squabs, Archangels, Nuns, Tipplers, Rollers, Turbets, Fantails), Doves, growing Pheasants - 4 to 8 wks, Quail (adult Northern or Southern extra large birds).
5/16"	Medium Pigeons (Homers, Commons, Jacobines, Barbs, Owls, Dragoons), Pheasant females (golden & fancy breeds, adults), Wild Ducks (1 day-6 wks), Wild Geese (1 day-6 wks), Blue Winged Teal, Hungarian Partridge, Woodduck.
3/8"	Growing Chicks, Large Pigeons (Show Homers, English Carriers, Carneaux, English Pouters, Hungarian Kings, White Kings, Mondaines, Feather Legged Toys); adult Ringneck Pheasants, Wild Ducks (6 wks to adult), Wild Geese (4-10 wks), Woodducks, Ruffed Grouse (female); Chukar Partridge, Gadwall Ducks, Pintail Ducks, Prairie Chickens, Chinese Pheasants.
7/16"	Bantams, Largest Pigeons (Giant Runts, Crosses, Tiger Swallows, Runt Crosses, Trumpeters, Bantams), Pheasants (males all breeds), Wild Ducks (Mallards, adults - all breeds), Sage Grouse (female), Peacock Pheasants, Ringneck Pheasant, Mallard Ducks, Baldpate & Pintail Ducks, Ruffed Grouse (male).
1/2"	Grouse, Geese (6-12 wks), Wild Ducks, English Call Ducks, Sage Grouse (male), Chinese Pheasants, Ringneck Pheasants (male).
9/16"	Leghorns, Games, Ducks
5/8"	Minorcas, Wyandottes, Crossbreeds
11/16"	Rocks, Reds
3/4"	Orpingtons, etc., Canadian Geese (small race), Wild Geese, Wild Turkeys.
13/16"	Brahmas, Langshans, large Ducks, etc.
7/8"	Turkeys, Hens, large Male Chickens, Geese, Canadian Geese (large race, Honkers), Wild Turkeys.
1"	Turkey Toms

TAB END
WING BANDS

898

USES
- Poultry

APPLICATOR: None required. Applied by hand.

Tagging Hints: Push band through wing web at the elbow joint being careful not to puncture flesh or tear the tendon at the leading edge of the wing. After the band is inserted through the wing, close the band until the tab is inserted through the hole. Then bend the tab down.

Size 2.75 Size 3 Size 3.5 Size 4

MATERIAL: Aluminum.

COLORS: Red, Blue, Green, Yellow, Orange, Pink, Brown, Black, White.
Please note - not all colors available at all times. Please indicate a second color choice or contact us for current stock

NUMBERING/STAMPING:
- Up to 6 digit stamped consecutive number.
- Special stamping available.
- Paint filled characters.
- Laser etched Bar Codes.
- Laser etched characters.

ZIP
WING BANDS

890

USES
- Poultry
- Pelt Tag
- Lock Seal
- Electric Meter Seal

APPLICATOR: For best results use style 890s.



Tagging Hints: Push band through wing web at the elbow joint being careful not to puncture flesh or tear the tendon at the leading edge of the wing. After the band is inserted through the wing, close the band until the eyelet is inserted through the hole. Then seal the band with the applicators.

Size 2.75 Size 3 Size 4

MATERIAL: Aluminum.

COLORS: Red, Blue, Green, Yellow, Orange, Pink, Brown, Black, White.
Please note - not all colors available at all times. Please indicate a second color choice or contact us for current stock

NUMBERING/STAMPING:
- Up to 6 digit stamped consecutive number.
- Special stamping available.
- Paint filled characters.
- Laser etched Bar Codes.
- Laser etched characters.

Jiffy
WING BANDS

893

USES
- Poultry
- Small Animal Ear Tag
- Rabbit, Raccoon, etc.

APPLICATOR: 893s applicator is required.

Tagging Hints: The Jiffy is designed as a one-step operation. Insert the band in the applicator first. Line up the "bubble" of the band with the "dimple" in the bottom jaw of the applicator. Make sure this "bubble" side of the band is flat against the "dimple" jaw of the applicator.

Size 3

MATERIAL: Aluminum. Brass.

COLORS: Red, Blue, Green, Yellow, Orange, Pink, Brown, Black, White.
Please note - not all colors available at all times. Please indicate a second color choice or contact us for current stock

NUMBERING/STAMPING:
- Up to 6 digit stamped consecutive number.
- Special stamping available.
- Paint filled characters.
- Laser etched Bar Codes.
- Laser etched characters.

Aluminum BUTT-END BANDS 1242

USES
- Bird/Small Animal Leg Bands
- Banquet Fundraiser Bands

APPLICATOR: 1242s - Each size band requires its own applicator. Sizes 5 through 16 will both open & close bands

Circles represent the inside diameter of bands when applied

MATERIAL: Aluminum.

COLORS: Plain, Red, Blue, Green, Orange.
Not all colors available in all sizes at all times. Please contact us for current stock. Batch Color Anodizing after manufacture is available.

NUMBERING/STAMPING:
- Stamped consecutive number.
- Special Stamping Available.

Monel BUTT-END BANDS 1242M

USES
- Bird/Small Animal Leg Bands
- Rodents
- Fish Jaw Tag
- Shrimp Eye Band

APPLICATOR: 1242s - Each size band requires its own applicator. Sizes 5 through 16 will both open & close bands





Circles represent the inside diameter of bands when applied

MATERIAL: Monel.

COLORS: Plain only

NUMBERING/STAMPING:
- Stamped consecutive number.
- Special Stamping Available.

Plastic COIL BANDS 992-995

USES
- Bird/Small Animal
- Shrimp Eye Band

APPLICATOR: None required.



Circles represent the inside diameter of bands when applied

MATERIAL: Coiled Plastic.

COLORS: Plain, Red, Blue, Green, Orange, Brown, Black, White.

NUMBERING/STAMPING:
Not available.

Plastic SPIRAL BANDS 2104-2116

USES
- Bird/Small Animal
- Booklet Rings
- Display Sign Hangers
- Wire Harnessing
- Shrimp Eye Band

APPLICATOR: None required.

Circles represent the inside diameter of bands when applied

MATERIAL: Plastic.

COLORS: Red, Blue, Green, Yellow, Orange, Brown, Black, White, Pink, Purple, Light Blue, Clear.

NUMBERING/STAMPING:
Not available.

Plastic BANDETTES 902-914

USES
- Bird/Small Animal
- Booklet Rings
- Display Sign Hangers
- Wire Harnessing
- Shrimp Eye Band

APPLICATOR: None required.

Circles represent the inside diameter of bands when applied

MATERIAL: Plastic.

COLORS: Red, Blue, Green, Yellow, White, Pink.

NUMBERING/STAMPING:
- Plain or Black painted numbers 1 to 1000.
- No stamping available.

MULTI-LEG RINGS
Automatic Leg Banding System

2306 - size 6

2307 - size 7

2311 - size 11

USES
- Bird/Small Animal Leg Bands

APPLICATOR:
2306s for size 6
2307s for size 7
2311s for size 11

MATERIAL: Plastic

COLORS: Red, Blue, Green, Yellow, Orange, Purple, White.

NUMBERING/STAMPING:
- Inkjet characters available.

Applicator holds a stack of plastic leg bands that allow for quick and easy application. Push forward with your thumb until leg ring is exposed, then push thumb in to spread band. Apply around leg and release pressure on thumb and tilt applicator down. When thumb is fully released another leg ring will automatically be fed into the mechanism.

ADJUSTABLE PLASTIC BUCKLE BAND
7301

USES
- Emu, Ostrich, etc.
- Leg / Neck Band, Pelt Tag
- Cable Tie, Tool Check
- Asset Tag

APPLICATOR: None required.



MATERIAL: Plastic.

COLORS: 10 colors available

NUMBERING/STAMPING:
- Laser etched numbers, letters, and Bar Codes available.

MULTI-LOC PLASTIC BAND
1703

USES
- Ostrich, Emu, Goose, Turkey
- Leg Band, Neck Band

MULTI-LOC, JR.
1707

APPLICATOR: None required.



MATERIAL: Plastic.

COLORS: Red, Blue, Green, Yellow, Orange, White.

NUMBERING/STAMPING:
- 3 digits maximum.
- No stamping available.

RABBIT EAR TAG
1841

USES
- Small Animal Ear Tag
- Rabbits, Guinea Pigs, Foxes, Raccoons, etc.

APPLICATOR: None required.



MATERIAL: Aluminum with aluminum washers.
Washers available in colored plastic are extra and must be purchased separately.

COLORS: Tag plain only.
Extra color coding washers: Red, Blue, Green, Yellow, Orange, White, Pink.

NUMBERING/STAMPING:
- 5 digit stamped consecutive number maximum.
- 2 letter prefix available.

THE PUNCH
1538

USES
- Toes • Ears

MATERIAL: Plated steel.

COLORS: Plain only.

EAR NOTCHER
1559



MATERIAL: Plated steel.

COLORS: Plain only.

HOG RINGS
1590

APPLICATOR: 1591

MATERIAL:
1590 Plated steel wire.
1590SS Stainless steel wire.

COLORS: Plain only.

ALUMINUM & PLASTIC

BLINDERS 3180, 3181

USES

- Poultry, Game Bird Blinders

Pins included-Extra pins may be ordered separately.

MATERIAL: Aluminum or Plastic.
COLORS: Plastic only: Various colors. Contact us for current color.

PLASTIC

BLINDERS 3182, 3183

USES

- Poultry, Game Bird Blinders

Pins included-Extra pins may be ordered separately.



MATERIAL: Plastic.
COLORS: Plastic only: Various colors. Contact us for current color.

PLASTIC

CLIP-ON BLINDERS 3184

USES

- Poultry, Game Bird Blinders

No pins needed.

MATERIAL: Plastic.
COLORS: Plastic only: Various colors. Contact us for current color.

PLASTIC

BLINDERS 3185

USES

- Turkey, Game Bird Blinders

C-Clips included-Extra clips may be ordered separately. See style 3200-3 below.



MATERIAL: Plastic.
COLORS: Plastic only: Various colors. Contact us for current color.

BIRD BITS 3200

USES

- Quail, Pheasant, Turkey, etc.

APPLICATOR: 3200s



MATERIAL: Plated Steel.
COLORS: Plain only.

BIT-FITTER 3202
BUMPA-FITTER 3205

USES

- Game Birds
- Quail
- Pheasant
- Partridge





MATERIAL: Plastic.
COLORS: Various colors. Contact us for current color.

This tool applies the bits and bumpers, and feeds another into position for fast and easy application.

1005-1 Monel

USES

- Small Animal Ear Tag
- Research Work
- Mice, Rats, Fish, etc.

APPLICATOR: Style 1005-1s





Laser-Etched characters allow greater flexibility

Condensed numbers to get more numbers on the tag

Special sequences can be read from your database

Numbers can be put on the "Hole Side" or on the "Point Side" of the tag.



APPLICATOR HINTS: Place the tag in the applicator keeping the "hole" side of the tag flat against the jaw of the applicator with the indentation. Locate the tag within the ear, applying beyond a ring of cartilage. After sealing, be sure to check that the tag point has come through the hole and bent around sealing properly. Tags should be washed in alcohol or similar cleaning solution to help prevent infection to the ear.

MATERIAL: Monel
(This Nickel-Copper Alloy is used for its excellent combination of corrosion resistance, strength & ductility. The corrosion resistance in seawater is especially good under high velocity conditions.)

COLORS: Plain

NUMBERING/STAMPING:

- 3 digit consecutive stamped number will fit on one side - 6 digit is available but will extend around other side.
- Paint-filled characters.
- Special stamping available- 1 line of 4 characters.
- Laser-Etched Consecutive numbering & lettering

1005-3 Monel

USES

- Small Animal Ear Tag
- Research/Lab Animals
- Fish Tag 1-3 lbs
- Mice, Rats, Fish, Guinea Pig, Ferret, Rabbit, etc.

APPLICATOR: Style 1005-3s

Tagging Hint: Application is the same as 1005-1 above. For fish, the tag can be applied in the lower jaw, gill plate, tail or dorsal fin - exercise caution to prevent injury and always allow room for additional fish growth.



MATERIAL: Monel

COLORS: Plain

NUMBERING/STAMPING:

- 3 digit consecutive stamped number will fit on one side - 6 digit is available but will extend around other side.
- Paint-filled characters.
- Special stamping available- 2 lines of 8 characters.
- Laser-Etched consecutive numbering & lettering.

1005-4 Monel

USES

- Small Animal Ear Tag
- Research/Lab Animals
- Fish Tag 4-10 lbs
- Sea Mammals, Turtle, Rabbit, Raccoon, etc.

APPLICATOR: Style 1005-4s

A versatile and easy to apply tag for a wide variety of small animals and fish.

Tagging Hint: An alternate method of tagging small animal ears is to fold the ear in half and pierce the tag through both halves of the ear simultaneously. When the ear is opened the tag will be held within the ear.

MATERIAL: Monel
(For Aluminum & Brass see page 20, style 893)

COLORS: Plain (Colors available in style 893 on page 20)

NUMBERING/STAMPING:

- 5 digit consecutive stamped number will fit on one side - 6 digit is available but will extend around other side.
- Paint-filled characters.
- Special stamping available- 3 lines of 9 characters.
- Laser-Etched consecutive numbering & lettering.

681 Steel
681A Aluminum
1005-681 Monel
1005-681 Inconel

USES

- Swine, Sheep, Turkey
- Research Work
- Fish Tag-10 lbs. & up
- Sea Turtles, Alligators, Seals.

APPLICATOR: Style 681s.



Our popular tag features a counter-sunk hole to guide the point.

TAG SIZE: 5/16" wide by 1-1/8" long closed. Inside Dimensions when closed: 3/16" high by 15/16" long.

COLORS: Plain, Red, Blue, Green, Yellow, Orange, Pink, Purple in Steel only.

NUMBERING/STAMPING:

- Official state coding.
- 6 digit stamped consecutive number + 1 additional character on point side.
- Bubble side can hold 2 lines of 13 characters.
- Laser-etched characters & Bar Codes are available - contact us for a quote.

62 Steel
1005-62 Monel

USES

- Calf, Swine, Sheep, Turkey
- Research Work
- Sea Turtles, Alligators, Seals, Deer, Elk, etc.

APPLICATOR: Style 62s.

A smaller version of our style 49

TAG SIZE: 3/8" wide by 1-7/16" long closed. Inside Dimensions when closed: 3/8" high by 1- 3/16" long.

COLORS: Plain, Red, Blue, Green, Yellow, Orange in Steel only.

NUMBERING/STAMPING:

- Official state coding.
- 6 digit stamped consecutive number + 2 additional characters on point side.
- Bubble side can hold 3 lines of 15 characters.
- Laser-etched characters & Bar Codes are available - contact us for a quote.

621 Steel
621A Aluminum
621B Brass
1005-621 Monel

USES

- Calf, Swine, Sheep, Turkey
- Research Work
- Sea Turtles, Alligators, Seals, Deer, Elk, etc.

APPLICATOR: Style 621s.

Smaller version of our style 56

TAG SIZE: 3/8" wide by 1-7/16" long closed. Inside Dimensions when closed: 3/8" high by 1- 3/16" long.

COLORS: Plain, Red, Blue, Green, Yellow, Orange in Steel only.

NUMBERING/STAMPING:

- Official state coding.
- 6 digit stamped consecutive number + 2 additional characters on point side.
- Bubble side can hold 3 lines of 15 characters.
- Laser-etched characters & Bar Codes are available - contact us for a quote.

49 Steel
1005-49 Monel

USES

- Cattle, Turkey
- Research Work
- Sea Turtles, Alligators, Seals, Deer, Elk, etc.

APPLICATOR: Style 49s or 49cs.

Our standard, durable tag.

TAG SIZE: 3/8" wide by 1-11/16" long closed. Inside Dimensions when closed: 3/8" high by 1- 7/16" long.

COLORS: Plain, Red, Blue, Green, Yellow, Orange in Steel only.

NUMBERING/STAMPING:

- Official state coding.
- 6 digit stamped consecutive number + 3 additional characters on point side.
- Bubble side can hold 3 lines of 19 characters.
- Laser-etched characters & Bar Codes are available - contact us for a quote.

56 Steel
1005-56 Monel

USES

- Cattle, Turkey
- Research Work
- Sea Turtles, Alligators, Seals, Deer, Elk, etc.

APPLICATOR: Style 56s or 56cs.

Our premium model features a rounded post to minimize irritation.

TAG SIZE: 3/8" wide by 1-11/16" long closed. Inside Dimensions when closed: 3/8" high by 1- 7/16" long.

COLORS: Plain, Red, Blue, Green, Yellow, Orange in Steel only.

NUMBERING/STAMPING:

- Official state coding.
- 6 digit stamped consecutive number + 3 additional characters on point side.
- Bubble side can hold 3 lines of 19 characters.
- Laser-etched characters & Bar Codes are available - contact us for a quote.

Destron Fearing DuFlex™ Ear Tags

Made in the U S A . . . . Flexible Polyurethane . . . . Anti-Bacterial Coated Studs

Tags are available with Hot Stamped, Inkjet, or Laser-Marked characters.

MEDIUM
Style 6330 Blank
Style 6331 Numbered

LARGE
Style 6320 Blank
Style 6321 Numbered

EXTENDED
Style 6315 Blank
Style 6315 Numbered

EXTRA LARGE
Style 6310 Blank
Style 6311 Numbered

SHEEP & GOAT
STUD PART - Style 6370 Blank - Style 6371 Numbered





BUTTON
Style 6350 Blank
Style 6351 Numbered

SHEEP & GOAT
HOLE PART - Style 6375 Blank - Style 6376 Numbered

STUD
Style 6380 Blank
Style 6381 Numbered

LITTER Max
Style 6355 Blank
Style 6356 Numbered

Hog Max
Style 6360 Blank
Style 6361 Numbered

DAIRY TAG
Style 6340 Blank
Style 6341 Numbered

PermaFlex Ear Tags

Made in the U S A . . . . Flexible Polyurethane . . . . Exclusive "Snagfree" Studs

Tags come with Ink characters but are also available with Laser-Marked characters.
(Some are available with a high quality Bar Code welded to tag - as shown on the medium tag below)

"SNAGFREE" DAISY STUD

NECK TAG
Style 7000 Blank
Style 7001 Numbered

STANDARD STUD
Style 7380 Blank
Style 7381 Numbered

SMALL STUD
Style 7385
use with 7370,



Style 7370 Blank
Style 7371 Numbered

Style 7375 Blank
Style 7376 Numbered

MEDIUM
Style 7320 Blank
Style 7321 Numbered



SMALL
Style 7330 Blank
Style 7331 Numbered

LARGE
Style 7340 Blank
Style 7341 Numbered

EXTRA LARGE
Style 7310 Blank
Style 7311 Numbered

BUTTON
Style 7350 Blank
Style 7351 Numbered

NATIONAL BAND AND TAG CO.
721 York St PO Box 72430 • Newport KY 41072-0430 USA
(859) 261-2035 • Fax (800) 261-TAGS (8247) • International Fax 859-261-8247
www.nationalband.com • tags@nationalband.com

Catalog Supplement



Stainless Steel Applicator for 1005-1 Small Animal Ear Tag

Our Stainless Steel Applicator is designed to seal the tags with minimal pressure, while providing a good, secure seal. Applicator can be used with or without the spring. The spring applies slight closing pressure to help hold the tag in the applicator prior to sealing.

APPLICATOR HINTS: Place the tag in the applicator keeping the "hole" side of the tag flat against the jaw of the applicator with the indentation. Locate the tag within the ear, applying beyond a ring of cartilage. After sealing, be sure to check that the tag point has come through the hole and bent around sealing properly. Tags should be washed in alcohol or similar cleaning solution to help prevent infection to the ear.



We are currently testing Laser-Etched Bar Codes on this 1005-1 tag.
For information please e-mail: info@nationalband.com

NATIONAL BAND AND TAG CO. Conservation Tags

Seamless Leg Bands for Pigeons

SEAMLESS LEG BANDS
2 4 0 8

USES:

- Pigeons

APPLICATOR: None Required.

SIZE: 8mm Inside Diameter, 10mm Outside Diameter, 10mm band height.

MATERIAL: ABS Plastic.

COLORS: White, Black, Gray, Red, Green, Light Green, Yellow, Blue, Orange, Pink, Purple, Tan.

Contact us for current stock.

NUMBERING/STAMPING: Laser Marked Characters Available including Consecutive numbering.

Minimum Order: 10,000 Bands



National Band & Tag Company
721 York St., P.O. Box 72430
Newport, KY 41072-0430
Phone: (859) 261-2035 Fax: 800-261-TAGS (8247)
E-Mail: tags@nationalband.com

Laser Marking - Metal Engraving - Laser Etching

Custom Laser Etched Tags

Laser-Etched Bar Codes and Custom Laser Marking is available on many of our tag styles. Laser Marking produces permanent marks on a wide range of materials and surfaces. A computer controls the precision and consistency, thereby providing the flexibility to produce bar codes, sequential numbering, graphics, etc. Contact us for further information and samples. E-Mail: info@nationalband.com

Black Aluminum	**Colored Aluminum**	**Plain Aluminum**	**Plastic**
Stainless Steel Laser Etched 	**Stainless Steel Laser Marked**	**Promotional Ideas**	**Industrial Rack and Skid ID Tags**

Laser etching: Material is etched with the laser. You can feel the etching with your fingernail. The lines are etched into the surface of the material. On anodized and colored aluminum, the metal will change color from the base color to white thus providing a high contrast mark.

Laser marking: Material is marked with the laser. The characters are marked onto the surface of the material. With this method the desired result is a bold contrasting character. On stainless steel, the characters are black. On plastic, the characters are dark gray (near black in most cases).

Laser etched/marked bar coded tags are designed to perform in a wide variety of conditions. Laser etched/marked bar codes perform differently than printed bar codes because they are physically etched and/or impregnated into the surface of the material. This gives you the benefit of a very durable surface, especially on polyurethane which withstands a great deal of chemical and heat abuse. It is always best to determine if your scanner will acceptably read the tags before and after submitting them to your specific environmental conditions. Depending on the bar code scanner, you may get better results scanning at an upward angle, not straight on. For your convenience, we work directly with a Symbol Technologies VAR and pass on our bar code equipment discounts to our customers and distributors. Please keep us in mind if you are in need of any equipment or would like to demo a scanner. Pricing is determined by the cycle time required to produce the image on the tag. Therefore, the larger the image, the higher the cost. We can burn logos, a wide variety of fonts and bar codes, and do custom identification right off of your data disk. Because each job is unique, we do quote each one individually. If a bar coded tag is going to be scanned by a hand held scanner 6-10" away, you may consider decreasing the size of the tag to save some money. Factory direct pricing for these tags can range from $.35 to $3.50 per tag depending on the size, quantity, setup costs, fixturing designs and programming costs. We can sequentially number or burn custom numbers from a text file. If you would like specific prototypes made, would like additional samples, have any questions or concerns, please contact us.

National Band & Tag Company

Promotional Items

Customize these products for your organization, school, church, etc for promoting ideas, raising money, etc. We can do sequential numbering, custom numbering, logos, custom names, dates, jersey numbers. Small batches are available, contact us for a quote.				
GI Type Military Dog Tags	Keychains	Bookmarks	Miscellaneous	Plumber Tags

National Band & Tag Company
721 York St., P.O. Box 72430
Newport, KY 41072-0430
Phone: (859) 261-2035 Fax: 800-261-TAGS (8247)
E-Mail: tags@nationalband.com

BAR CODE WING BANDS






White, Pink, Grey, Tan, Yellow, Orange, Red, Purple, Blue Anodized, Green Anodized, Bronze Anodized, Black Anodized

No Missing Numbers - Guaranteed!

Revolutionary materials provide:
Extremely tough and durable Bar Codes and Characters
A slick clear surface helps repel residue, wipes clean easily, provides the best "scan-ability"

Many Bar Codes Available:
Interleaved 2 of 5 - a numbers only code with up to 6 numbers on a band
Code 128 - an alphanumeric code with up to 6 digits on a band or up to 10 digits numeric
Code 39 - an alphanumeric code limited to 5 digits on a band
I D Matrix - how many characters do you want?
Complete number sequences - no duplicate numbers - no missing numbers - Guaranteed!

BANDS - We can Bar Code all 3 of our popular wing bands
TAB END - style 898 that is Hand-Applied - Sizes: 2.75, 3, 3.5, 4
ZIP - style 890 with a Tamper-Resistant Seal - Sizes: 2.75, 3, 4
Jiffy - style 893 Self-Piercing Band - Size: 3

SCANNERS
We recommend Symbol Technologies New "Fuzzy Logic" scanner

SUPPORT
We're here to help you set up your system and we have loaner bar code scanners available for pilot projects. For more in-depth support, we have hardware, software and genetics consultants available for design work and on site help. For more information contact Kevin at info@nationalband.com

Hands Free Bar Code Scanning Station



Important points regarding this scanning station:

1. Hands-free. Trigger is actuated by a built in optical scanner. When you present the bar coded tag, the unit turns itself on and starts scanning instantly.

2. This is a Very aggressive scanner 1207fzy. This scanner uses fuzzy logic mathematical algorithms. When scanning barcodes that are difficult to read (dirty/hazy etc), misdecodes are most likely to occur when a scanner is operating near the limits of its capability. When pushed to the limit, a scanner can misinterpret the sizes of bars or spaces in a barcode, causing misdecodes. This point is reached much sooner with conventional scanners than with Fuzzy scanners, which operate with wide margin even when reading barcodes that other scanners can't read at all. As a result, Fuzzy scanners are actually less likely to provide incorrect decoded data on low contrast (i.e. dirty surface, colored surface, scratched, torn, etc) barcodes than a conventional scanner that struggles to read the same barcode.
For further details on this scanner, please refer to the following link:
http://www.symbol.com/category.php?fileName=DS-065_12xx.xml

3. Optical Switch and Scanner are both sealed for a dusty environment. This is a very important issue. Any normal scanner that is exposed to a dusty environment will have the optics and electronics contaminated by the dust and this can affect its performance. The 1207FXY has an IP rating of 54, which basically means it is protected against wind blown dust and rain. Neither of these units can be submerged in fluids. For further information regarding the IP rating system please refer to this link:
http://www.aquatext.com/tables/ip_ratings.htm

4. Scanner can be configured as a USB or Serial scanner by just changing the cables.

5. Hands-free configuration has a wide range of motion due to its gooseneck design and can be fastened to nearly anything using the attached clamp.

The Amazing Leg Band Raffle

500 Numbered Leg Bands
Numbered 1 through 500
Band Number 1 is sold for $.01 and Band Number 500 is sold for $5.00
Sell all 500 and you will bring in $1252.50
(other dollar amounts can be applied to yield a higher profit)

Raffle off a Shotgun or similar items that can be purchased or donated.

A fun sales incentive, to help generate interest in the raffle, is to give band numbers 100, 200, 300, 400, & 500 instant winner gifts - usually donated items (hunting videos, shotgun shells, hats, etc.) Also, give a leather strap or lanyard so they can display the bands around their neck.

You can order your bands with special stamping of your chapter name and banquet date.
The bands are consecutively numbered and can take 4 lines of 24 characters of special stamping.
Cost for 500 Bands 3/4" diameter (size 24) is $97.00
Orders must be prepaid or use Visa, MasterCard or Discover. Allow 3 to 4 weeks for delivery.

Some Examples of Raffle Techniques

Banquet Bands are usually used to raise money on the "Gun of the Year" Raffle. However, they can be used to raffle any item. Band Raffles generate a lot of excitement at Banquets. This excitement tends to help draw more patrons in succeeding years. The best part is that your members will have an everlasting collector's item to take home with them, not a paper ticket that simply gets thrown away. The bands can be stamped with your chapter name and banquet date and consecutively numbered. A piece of thick string /lanyard can be used so they can keep track of the bands and numbers.

Some examples of raffle procedures

• Penny Raffle - Purchase 500 bands. Band Number 1 is sold for $.01 and Band Number 500 is sold for $5.00 Sell all 500 and you will bring in $1252.50 (other dollar amounts can be applied to yield a higher profit) or you can round to the nearest even number to simplify the money exchange and generate a little more money. For example band number 279 would cost $2.80 Band number 153 would be $1.50 and Band number 8 would be $.10.

• Purchase 600 Bands and sell the first 500 as the example above. Then numbers 501-600 sell at $5 each. This will generate approximately $1752.00 for your chapter. Or take the numbers 501-600 and round to the nearest $.10 to generate $1802.00

• Purchase 200 bands and sell them for $10 each to raise $2000. This method increases the odds of winning from 1 in 500 to 1 in 200, but you may not sell all the bands.

• Purchase 500 bands that have numbers 1- 200 stamped with $1 and numbers 201-400 stamped with $3 and numbers 401-500 stamped with $5. This will generate about $1200 without having to deal with all the change. (*Please note - there is an extra $3 type change charge for each time the dollar amount changes) Also, you can add incentive gifts for the bands numbered 100, 200, 300, 400, 500. These are usually small donated items.

National Band & Tag Company

Aluminum Butt-End Bird Band Specifications

NB&T Style #	NB&T Size	Federal Size*	Approx Inside Diameter			Approx OD		Band Height			Band Thickness	
			Fraction	Inches	MM	Inches	MM	Fraction	Inches	MM	Inches	MM
1242-FOA		OA *		0.078	1.98	0.118	3.00	13/64	0.203	5.16	0.020	0.51
1242-FO		O *		0.083	2.11	0.123	3.12	13/64	0.203	5.16	0.020	0.51
1242-3	3		3/32	0.094	2.39	0.134	3.40	13/64	0.203	5.16	0.020	0.51
1242-F1		1 *	3/32	0.094	2.39	0.144	3.66	13/64	0.203	5.16	0.025	0.64
1242-F1B		1B *		0.109	2.77	0.159	4.04	13/64	0.203	5.16	0.025	0.64
1242-F1P		1P *		0.112	2.84	0.162	4.11	13/64	0.203	5.16	0.025	0.64
1242-4	4		1/8	0.125	3.18	0.175	4.45	13/64	0.203	5.16	0.025	0.64
			1/8	0.125	3.18	0.165	4.19	13/64	0.203	5.16	0.020	0.51
1242-5	5		5/32	0.156	3.96	0.206	5.23	13/64	0.203	5.16	0.025	0.64
			5/32	0.156	3.96	0.196	4.98	13/64	0.203	5.16	0.020	0.51
1242-F2		2 *	5/32	0.156	3.96	0.220	5.59	1/4	0.250	6.35	0.032	0.81
1242-6	6		3/16	0.188	4.78	0.252	6.40	5/16	0.313	7.94	0.032	0.81
			3/16	0.188	4.78	0.248	6.30	5/16	0.313	7.94	0.030	0.76
1242-F3		3 *	3/16	0.188	4.78	0.252	6.40	1/4	0.250	6.35	0.032	0.81
1242-F3B		3B *		0.203	5.16	0.267	6.78	1/4	0.250	6.35	0.032	0.81
1242-7	7		7/32	0.219	5.56	0.283	7.19	5/16	0.313	7.94	0.032	0.81
			7/32	0.219	5.56	0.279	7.09	5/16	0.313	7.94	0.030	0.76
1242-F3A		3A *	7/32	0.219	5.56	0.283	7.19	1/4	0.250	6.35	0.032	0.81
1242-8	8		1/4	0.250	6.35	0.314	7.98	5/16	0.313	7.94	0.032	0.81
			1/4	0.250	6.35	0.310	7.87	5/16	0.313	7.94	0.030	0.76
1242-F4		4 *	1/4	0.250	6.35	0.330	8.38	3/8	0.375	9.53	0.040	1.02
1242-F4A		4A *		0.281	7.14	0.361	9.17	3/8	0.375	9.53	0.040	1.02
1242-10	10		5/16	0.313	7.95	0.377	9.58	5/16	0.313	7.94	0.032	0.81
			5/16	0.313	7.95	0.373	9.47	5/16	0.313	7.94	0.030	0.76
1242-F5		5 *	5/16	0.313	7.95	0.393	9.98	3/8	0.375	9.53	0.040	1.02
1242-12	12		3/8	0.375	9.53	0.455	11.56	3/8	0.375	9.53	0.040	1.02
			3/8	0.375	9.53	0.475	12.07	3/8	0.375	9.53	0.050	1.27
1242-F6		6 *	3/8	0.375	9.53	0.477	12.12	3/8	0.375	9.53	0.051	1.30
1242-14	14		7/16	0.438	11.13	0.518	13.16	3/8	0.375	9.53	0.040	1.02
			7/16	0.438	11.13	0.540	13.72	3/8	0.375	9.53	0.051	1.30
1242-F7A		7A *		0.438	11.13	0.540	13.72	1/2	0.500	12.70	0.051	1.30
1242-16	16		1/2	0.500	12.70	0.602	15.29	3/8	0.375	9.53	0.051	1.30
	16		1/2	0.500	12.70	0.602	15.29	1/2	0.500	12.70	0.051	1.30
1242-F7B		7B *		0.531	13.49	0.633	16.08	1/2	0.500	12.70	0.051	1.30
1242-18	18		9/16	0.563	14.30	0.665	16.89	3/8	0.375	9.53	0.051	1.30
1242-20	20		5/8	0.625	15.88	0.751	19.08	5/8	0.625	15.88	0.063	1.60
1242-22	22		11/16	0.688	17.48	0.814	20.68	5/8	0.625	15.88	0.063	1.60
1242-F8		8 *	11/16	0.688	17.48	0.814	20.68	5/8	0.625	15.88	0.063	1.60
1242-24	24		3/4	0.750	19.05	0.876	22.25	5/8	0.625	15.88	0.063	1.60
1242-F8A		8A *	13/16	0.813	20.65	0.939	23.85	5/8	0.625	15.88	0.063	1.60
1242-28	28		7/8	0.875	22.23	1.001	25.43	5/8	0.625	15.88	0.063	1.60
1242-F9		9 *	7/8	0.875	22.23	1.001	25.43	5/8	0.625	15.88	0.063	1.60
1242-F9C		9C*	Flat	1.125	28.58			Flat	1.125	28.58	0.063	1.60

* All Orders Add $20 Make-Ready charge. No trade discounts on Federal Sizes

Notes: -Tolerances: +/- .010"

- All sizes are estimates. Accuracy is determined by the stamping on the bands.
- Special custom stamps available -- contact us for quote
- All Alum Bands are available in some colors
- Colors can vary from size to size
- All colors are not available in all sizes